


MS-80IR+

MULTISTOMP

Patch Memory List

Preset Ver. 1.00

These preset patch memories will provide optimal tone when connected to a PA system. Try them with the MS-80IR+ connected to a PA system, powered monitor speakers or headphones.



© 2024 ZOOM CORPORATION

Copying or reprinting this manual in part or in whole without permission is prohibited.

Product names, registered trademarks and company names in this document are the property of their respective companies. All trademarks and registered trademarks in this document are for identification purposes only and are not intended to infringe on the copyrights of their respective owners.

This document cannot be displayed properly on black-and-white displays.

001 : FD TWIN-R

This clean sound uses the FD TWIN-R model.



AMBIENCE
10



BRGHT ON	GAIN 40	VOL 45	BASS 48
MID 50	TREBLE 45	DEPTH 10	SPEED 50

002 : UK 30A

This crunch sound that has a fast response characteristic of Class A uses UK 30A.



AMBIENCE
10



GAIN 30	VOL 79	BASS 49	TREBLE 38
TONE CUT 78	DEPTH 0	SPEED 50	

003 : MS 1959

This vintage crunch sound uses MS 1959.




AMBIENCE
10



IN1 60	IN2 OFF	VOL 66	BASS 50
MID 70	TREBLE 50	PRESENCE 30	

004 : RECTI DUAL

This high-gain sound uses the MODERN channel of RECTI DUAL.



AMBIENCE
10



MODE MDRN	GAIN 55	VOL 47	BASS 26
MID 38	TREBLE 72	PRESENCE 76	

005 : WHITE CANVAS

This all-purpose clean sound uses the WHITE CANVAS model to bring out the characteristics of stomp boxes.



AMBIENCE
10



GAIN	VOL	BASS	MID
50	47	50	50
TREBLE	PRESENCE		
50	50		

006 : KRAMPUS

This powerful drive sound uses KRAMPUS.



AMBIENCE
10



GAIN	VOL	BASS	MID
31	43	17	31
TREBLE	PRESENCE		
72	89		

007 : REDLOOM

This crunch sound, which uses REDLOOM, is good for strumming with palm muting.



AMBIENCE
10



GAIN	VOL	BASS	MID
50	43	50	50
TREBLE	PRESENCE		
50	40		

008 : VELVET

This drive sound, which uses VELVET, is good for soloing.




AMBIENCE
10



GAIN	VOL	BASS	MID
50	41	60	60
TREBLE	PRESENCE		
40	40		

009 : XTACY BLUE

This drive sound, which uses XTACY BLUE, is good for playing riffs.



AMBIENCE
10



STRUCT	GAIN	VOL	BASS
HI	60	38	50
MID	TREBLE	PRESENCE	
50	50	40	

010 : MS 800

This drive sound, which uses MS 800, is good for hard rock.



AMBIENCE
10



INPUT	GAIN	VOL	BASS
HI	70	70	50
MID	TREBLE	PRESENCE	
50	50	30	

011 : HW 100

This fat and clean sound uses the HW 100 model.



AMBIENCE
10



INPUT	GAIN	VOL	BASS
BRILL	50	60	40
MID	TREBLE	PRESENCE	
80	60	60	

012 : MUDDY

This crunch sound, which uses MUDDY, is good for blues.




AMBIENCE
10



GAIN	VOL	BASS	MID
60	43	50	50
TREBLE	PRESENCE		
50	40		

013 : 7 HEAVEN

This tight metal sound uses 7 HEAVEN.



AMBIENCE
10



GAIN	VOL	BASS	MID
60	41	50	50
TREBLE	PRESENCE		
60	55		

014 : POLLEX

This crunch sound, which uses POLLEX, is good for strumming with palm muting.



AMBIENCE
10



GAIN	VOL	BASS	MID
50	44	50	50
TREBLE	PRESENCE		
50	50		

015 : FD B-MAN

This crunch sound, which uses FD B-MAN, is good for country music.



AMBIENCE
10



INPUT	GAIN	VOL	BASS
BRIGHT	40	46	40
MID	TREBLE	PRESENCE	
100	50	60	

016 : BG MARK3

This drive sound, which uses BG MARK3, is good for lead parts.



AMBIENCE
10



GAIN1	GAIN2	VOL	BASS
75	75	33	52
MID	TREBLE	PRESENCE	
85	40	40	

017 : ORG120

This crunch sound, which uses ORG120, is good for backing parts.




AMBIENCE
10



INPUT	GAIN	VOL	BASS
HI	53	90	50
TREBLE	PRESENCE	COLOR	
60	50	4	

018 : DZ DRIVE

This high-gain sound, which uses DZ DRIVE, is good for playing heavy riffs.



AMBIENCE
10



GAIN	VOL	BASS	MID
54	42	35	55
TREBLE	PRESENCE	DEEP	MIDCUT
65	69	5	59



DETCT	DEPTH	THRS	DECAY
GTRIN	81	60	0

019 : MS 45os

This crunch sound, which uses MS 45os, is good for strumming chords.



AMBIENCE
10



IN1	IN2	VOL	BASS
60	OFF	77	30
MID	TREBLE	PRESENCE	
70	55	25	

020 : FD DELUXE-R

This tight clean sound uses the FD DELUXE-R model.



AMBIENCE
10



INPUT	GAIN	VOL	BASS
NORMAL	60	90	43
TREBLE	DEPTH	SPEED	
65	10	50	

021 : MATCH30

This clean sound, which uses MATCH30, has a sense of cabinet tone.



AMBIENCE
10



GAIN1	BASS1	TRBL1	GAIN2
35	47	49	OFF
TONE2	CUT	VOL	
1	0	36	

022 : BG MARK1

This fuzzy lead sound uses the BG MARK1 model.




AMBIENCE
10



GAIN1	GAIN2	VOL	BASS
72	62	29	49
MID	TREBLE	PRESENCE	
55	53	55	

023 : FD MASTER

This drive sound, which uses FD MASTER, is good for backing parts.



AMBIENCE
10



GAIN	VOL	BASS	MID
50	47	70	70
TREBLE	FAT		
70	ON		

024 : We Are The Champions

Combo amp sound suitable for late 70's British rock.



AMBIENCE
10



GAIN	VOL	BASS	TREBLE
90	60	43	52
TONE CUT	DEPTH	SPEED	
78	0	50	

025 : Burn

British hard rock sound of the mid 70's.



AMBIENCE
46



IN1 60	IN2 OFF	VOL 66	BASS 50
MID 70	TREBLE 60	PRESENCE 40	



TIME 135	MODE SHORT	REPEAT 20	MIX 5
HIDMP 5	VOL 80	TAIL OFF	

026 : I Want to Take You Higher

Early 70's cutting funk sound.



AMBIENCE
10



INPUT NORMAL	GAIN 46	VOL 51	BASS 40
MID 86	TREBLE 57	PRESENCE 60	

027 : I Shot the Sheriff

It is a cutting sound suitable for Jamaican reggae in the mid 70's.



AMBIENCE
16



BRGHT OFF	GAIN 40	VOL 80	BASS 46
MID 50	TREBLE 45	DEPTH 10	SPEED 50

028 : Psycho Circus

It has a driving sound suitable for late 90's stadium rock.



TYPE SHELF	FREQ 3.2kHz	GAIN 3.0	VOL 66
---------------	----------------	-------------	-----------



AMBIENCE
10




GAIN 39	VOL 45	BASS 28	MID 48
TREBLE 77	PRESENCE 73		

029 : SPARKLE

Cutting sound suitable for early 80's city pop.



TIME L 163	TIME R 505	MODE SHORT	MIX 10
REP L 5	REP R 5	VOL L 100	VOL R 100
VOL 80	TAIL OFF		




AMBIENCE
50



GAIN 50	VOL 61	BASS 10	MID 50
TREBLE 60	PRESENCE 60		

030 : Smooth

Great for guitars with humbucker pickups, this lead sound is ideal for late 90's Latin rock.



AMBIENCE
40



GAIN1 60	GAIN2 70	VOL 75	BASS 19
MID 61	TREBLE 65	PRESENCE 53	

031 : Move Over

Combo amp drive sound suitable for early 70's blues numbers.



AMBIENCE
10



BRGHT OFF	GAIN 91	VOL 29	BASS 57
MID 61	TREBLE 50	DEPTH 10	SPEED 50

032 : Day Tripper

Crunch sound suitable for mid-60's British rock.



AMBIENCE
26



GAIN 30	VOL 81	BASS 49	TREBLE 48
TONE CUT 86	DEPTH 0	SPEED 50	



100Hz -6.0	200Hz -2.0	400Hz 0.0	800Hz 0.0
1.6kHz 0.0	3.2kHz 0.0	6.4kHz 0.0	VOL 90

033 : Vicarious

A drive sound suitable for mid-00's American progressive metal.



AMBIENCE
10



100Hz	200Hz	400Hz	800Hz
-1.0	1.5	-2.0	1.0
1.6kHz	3.2kHz	6.4kHz	VOL
2.5	3.0	3.0	70



GAIN	VOL	BASS	MID
28	43	50	63
TREBLE	PRESENCE	DEEP	MIDCUT
59	68	0	59

034 : Mannish Boy

Clean sound suitable for 50's blues.



AMBIENCE
10



GAIN	VOL	BASS	MID
61	41	0	68
TREBLE	PRESENCE		
40	20		

035 : China Grove

Overdriven riff sound suitable for 70's West Coast rock with AnalogDelay.



AMBIENCE
20



GAIN	VOL	BASS	MID
73	38	0	40
TREBLE	PRESENCE		
70	80		



TIME	MODE	REPEAT	MIX
410	SHORT	15	60
HIDMP	VOL	P-P	TAIL
8	80	MONO	OFF

036 : Room 335

Lead sound suitable for late 70's Jazz, Fusion guitar instrumentals.




AMBIENCE
46



GAIN	VOL	BASS	MID
60	39	16	60
TREBLE	PRESENCE		
50	57		

037 : Stranded

It has a driving sound suitable for mid-10's progressive metal.



AMBIENCE
10



GAIN	VOL	BASS	MID
91	37	55	22
TREBLE	PRESENCE		
50	67		



DETECT	DEPTH	THRESH	DECAY
GRIN	63	54	0

038 : Bad Love

This sound is for guitars with single coil pickups suitable for male guitar vocals in the 90s.



AMBIENCE
46




100Hz	200Hz	400Hz	800Hz
2.0	0.0	0.0	0.0
1.6kHz	3.2kHz	6.4kHz	VOL
0.0	0.0	0.0	80




STRUCT	GAIN	VOL	BASS
HI	38	31	54
MID	TREBLE	PRESENCE	
100	40	35	

039 : Let's Dance

Early 80's rock clean sound with tape echo.



AMBIENCE
46



INPUT	GAIN	VOL	BASS
BRILL	50	45	40
MID	TREBLE	PRESENCE	
80	60	60	



TIME	MODE	REPEAT	MIX
4TH	BPM SYNC	64	56
HIDMP	VOL	TAIL	
5	80	OFF	

040 : Morning Glory

Crunch sound suitable for late 10's progressive rock.



AMBIENCE
10



GAIN	VOL	BASS	MID
88	32	50	45
TREBLE	PRESENCE		
62	61		



100Hz	200Hz	400Hz	800Hz
-4.0	-3.0	0.0	4.0
1.6kHz	3.2kHz	6.4kHz	VOL
6.0	5.0	5.0	80

041 : Johnny B. Goode

Late 50's rock 'n' roll sound.



AMBIENCE
10



INPUT	GAIN	VOL	BASS
BRIGHT	47	50	10
MID	TREBLE	PRESENCE	
104	88	40	

042 : The Pretender

Distortion sound suitable for late 00's American alternative rock.



100Hz	200Hz	400Hz	800Hz
-2.0	-3.0	0.0	0.0
1.6kHz	3.2kHz	6.4kHz	VOL
2.0	0.0	0.0	80



AMBIENCE
27



MODE	GAIN	VOL	BASS
MDRN	57	48	13
MID	TREBLE	PRESENCE	
63	67	53	

043 : Back In Black

Early 80's Australian hard rock sound suitable for guitars with humbucker pickups.



100Hz	200Hz	400Hz	800Hz
1.5	0.0	0.0	0.0
1.6kHz	3.2kHz	6.4kHz	VOL
1.5	1.0	0.0	80



AMBIENCE
10



IN1	IN2	VOL	BASS
89	10	56	0
MID	TREBLE	PRESENCE	
66	31	22	

044 : Sweet Dream

Driven sound suitable for early 70's blues.



100Hz	200Hz	400Hz	800Hz
-7.0	0.0	0.0	-0.5
1.6kHz	3.2kHz	6.4kHz	VOL
0.0	0.0	-9.0	95



AMBIENCE
100



INPUT	GAIN	VOL	BASS
VIBRATO	60	70	43
TREBLE	DEPTH	SPEED	
65	10	50	

045 : Dean Town

Clean sound suitable for 10's American funk.



160Hz	400Hz	800Hz	3.2kHz
2.0	0.0	0.0	2.0
6.4kHz	12kHz	VOL	
0.0	0.0	80	



AMBIENCE
10



GAIN	VOL	BASS	MID
31	52	44	70
TREBLE	FAT		
76	ON		

046 : Flathead

This is a driving sound suitable for early 20's Scottish indie rock.



100Hz	200Hz	400Hz	800Hz
-1.5	-2.0	0.0	0.0
1.6kHz	3.2kHz	6.4kHz	VOL
1.0	1.0	0.0	70



AMBIENCE
28



GAIN1	BASS1	TRBL1	GAIN2
87	45	67	44
TONE2	CUT	VOL	
5	0	24	

047 : Rock Bottom

This drive sound is good for music in the style of early 70s British hard rock.



AMBIENCE
59



INPUT	GAIN	VOL	BASS
HI	70	70	50
MID	TREBLE	PRESENCE	
50	50	30	



FREQ:	Q	GAIN	VOL
800Hz	0.6	5.0	80

048 : Bad Moon Rising

Clean sound suitable for late 60's American rockabilly and country rock.



AMBIENCE
10



GAIN1	BASS1	TRBL1	GAIN2
19	30	65	OFF
TONE2	CUT	VOL	
1	0	54	

049 : 20th Century Boy

This drive sound is good for music in the style of early 70s glam rock.



FREQ	Q	GAIN	VOL
2.5kHz	0.6	2.0	80




AMBIENCE
41



INPUT	GAIN	VOL	BASS
LO	53	70	70
TREBLE	PRESENCE	COLOR	
60	50	1	

050 : Europa

Mid-70s lead sound suitable for guitars with humbucker pickups.



AMBIENCE
80



GAIN1	GAIN2	VOL	BASS
62	84	33	49
MID	TREBLE	PRESENCE	
55	53	55	



100Hz	200Hz	400Hz	800Hz
-2.5	-2.0	0.0	5.5
1.6kHz	3.2kHz	6.4kHz	VOL
1.5	2.0	0.0	80



ZOOM CORPORATION

4-4-3 Kanda-surugadai, Chiyoda-ku, Tokyo 101-0062 Japan
zoomcorp.com

Z2I-5351-01